

Message

From: Sanchez, Yolanda [Sanchez.Yolanda@epa.gov]
Sent: 8/17/2020 11:56:06 PM
To: Praskins, Wayne [Praskins.Wayne@epa.gov]
CC: Chesnutt, John [Chesnutt.John@epa.gov]
Subject: RE: draft letter on building RGs

I'm working through this letter. I did add a bit to the front, focusing on explaining a FYR and the chronology of the 4th FYR, as well as explaining the chronology of the evaluation of the building RGs. I'll try to send before COB.

Wayne,

What are your thoughts on me rearranging the order of the most important statement in the letter? I suggest:
Therefore, at this time, we cannot concur with the Navy's conclusion that the radiological building RGs remain protective of human health in the long-term because we cannot support the use of RRB as part of the evaluation for HPNS.-

You have:

Therefore we cannot, at this time, support the use of RRB as part of the evaluation of HPNS building RGs or concur with the Navy's conclusion that the current radiological building RGs remain protective of human health.-

Yolanda

From: Praskins, Wayne <Praskins.Wayne@epa.gov>
Sent: Monday, August 17, 2020 11:35 AM
To: Sanchez, Yolanda <Sanchez.Yolanda@epa.gov>
Cc: Chesnutt, John <Chesnutt.John@epa.gov>
Subject: draft letter on building RGs

Please see attached draft letter.

Wayne Praskins | Superfund Project Manager
U.S. Environmental Protection Agency Region 9
75 Hawthorne St. (SFD-7-3)
San Francisco, CA 94105
415-972-3181